


Formwork Tie Rod System



FORMWORK TIE ROD				
Cold Rolled Tie Rod	Diameter	Surface Finish	Breaking Load	Packing
	12mm 15mm	Galvanized or as Nature	140kn	Bundles
Hot Rolled Tie Rod	Diameter	Surface Finish	Breaking Load	Packing
	15mm	Galvanized or as Nature	180kn	Bundles

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Steel Cone		
	Material	Ductile Iron Casting
	Frame	With galvanized movable plate
	Ultimate Load	180kn
	Length	75mm and 100mm
	Surface Finish	Galvanized



Water Stop / Water Barrier

Size: D10/12mm

D15/17mm

D20/22mm

Ultimate Load: 180kn


Both can fit the normal Cold Rolled Tie Rod and 180kn Hot Rolled Tie Rod.

Surface Finish: can be galvanized or as nature

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com


Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Formwork Tie Nut/ Anchor Nut/ Flange Nut			
			
D12mm, 0.44kgs	D17mm, 0.60kgs	D17mm, 0.60kgs	D17mm, 0.60kgs
			
D17mm, 1.0kgs	D17mm, 1.30kgs	D17mm, 0.55kgs	D17mm, 0.80kgs
			
D20mm, 0.82kgs	D20mm, 0.82kgs	D20mm, 0.82kgs	D20mm, 1.20kgs
			
D12mm, 0.18kgs	D15mm, 0.30kgs	D15mm, 0.34kgs	D20mm, 0.60kgs

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500



Formwork Tie Rod Washer Plate	
Material	Q235
Size	120mm*120mm 100mm*100mm 100mm*150mm (OEM Size is available)
Surface Treatment	Galvanized or Black

	Material	Size
	Ductile Casting Iron	30mm*30mm
		30mm*50mm
		30mm*100mm
	#45 Steel	30mm*50mm
		30mm*100mm
Surface Treatment can be galvanized or black. And sizes can be OEM.		

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Formwork Clamps



Butterfly Clamp/Wedge Clamp

Weight: 0.50kgs

Surface Treatment: Galvanized or Painted

Tensioner

in **Galvanized or Painted** are available

The Clamps all can be OEM designed. And Tensioners are available.

Formwork Spring Clamp (Rapid Clamp)			
	Size	Weight	Surface Treatment
	75*110*3.75mm	0.42kgs	Galvanized
	75*110*4.0mm	0.45kgs	Galvanized or Painted
	70*110*4.0mm	0.40kgs	Galvanized or Painted
	69*105*3.0mm	0.31kgs	Galvanized


Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricon.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Hebei Trico Trade Co., Ltd

	Material	Ductile Iron Casting
	Size	For bar 6-10mm
	Weight	0.38kgs
	Surface Treatment	Galvanized


	Weight	3.80kgs/4.20kgs
	Material	Q235
	Surface Treatment	Galvanized
	Weight	2.80kgs
	Material	Ductile Iron Casting
	Surface Treatment	Galvanized
	Weight	2.75kgs
	Material	Ductile Iron Casting
	Surface Treatment	Galvanized



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500



Standard Size		
Adjust size	Width	Weight
400-600mm	80mm	21.6kgs
500-800mm	80mm	26.2kgs
700-1000mm	100mm	51kgs
900-1200mm	100mm	57.2kgs
1100-1400mm	100mm	65kgs
1300-1600mm	100mm	70.4kgs
1500-1800mm	100mm	115.8kgs
1900-2100mm	100mm	129.8kgs

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Formtie System

Assembly Of Form Tie



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricon.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Forming Wall Ties



Long End 8-1/4"		
6"	0.093kgs/pc	100pcs/Carton
8"	0.103kgs/pc	100pcs/Carton
10"	0.113kgs/pc	100pcs/Carton
12"	0.123kgs/pc	100pcs/Carton
14"	0.133kgs/pc	100pcs/Carton
16"	0.143kgs/pc	100pcs/Carton
18"	0.153kgs/pc	100pcs/Carton
24"	0.183kgs/pc	100pcs/Carton
Short End 4-3/4"		
6"	0.128kgs/pc	100pcs/Carton
8"	0.138kgs/pc	100pcs/Carton
10"	0.148kgs/pc	100pcs/Carton
12"	0.158kgs/pc	100pcs/Carton
14"	0.168kgs/pc	100pcs/Carton
16"	0.178kgs/pc	100pcs/Carton
18"	0.188kgs/pc	100pcs/Carton
24"	0.218kgs/pc	100pcs/Carton

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

X-FLAT TIE




Size	Weight		Packing	
6"	119.81g	0.2641lbs	100pcs/carton	10,000pcs/pallet
8"	141.21g	0.3113lbs	100pcs/carton	10,000pcs/pallet
10"	162.61g	0.3585lbs	100pcs/carton	10,000pcs/pallet
12"	184.01g	0.4057lbs	100pcs/carton	10,000pcs/pallet
14"	205.41g	0.4528lbs	100pcs/carton	5,000pcs/pallet
16"	226.81g	0.5000lbs	100pcs/carton	5,000pcs/pallet
18"	248.21g	0.5472lbs	100pcs/carton	5,000pcs/pallet
20"	269.61g	0.5944lbs	50pcs/bundle	2,500pcs/pallet
22"	291.01g	0.6416lbs	50pcs/bundle	2,500pcs/pallet
24"	312.42g	0.6888lbs	50pcs/bundle	2,500pcs/pallet
26"	333.82g	0.7359lbs	50pcs/bundle	2,500pcs/pallet
28"	355.22g	0.7831lbs	50pcs/bundle	2,500pcs/pallet
30"	376.62g	0.8303lbs	50pcs/bundle	2,500pcs/pallet
32"	398.02g	0.8775lbs	50pcs/bundle	2,500pcs/pallet
34"	419.42g	0.9246lbs	50pcs/bundle	2,500pcs/pallet

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Wedge Bolt and Pin



We offer full set of the Standard Wedge Bolt, Long Wedge Bolt, Short Wedge Bolt, Flat Head Wedge Pin and etc. As well as the Nominal Tie and Full Tie. Welcome to contact us for more details.



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricon.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Coil Tie



Item	Size	Weight
Coil Tie	WT150mm,STRUT 80mm	112g/pc
	WT200mm,STRUT 130mm	133g/pc
	WT250mm,STRUT 130mm	153g/pc
	WT275mm,STRUT 205mm	165g/pc
	WT300mm,STRUT 230mm	175g/pc
	WT350mm,STRUT 280mm	195g/pc
	WT400mm,STRUT 330mm	215g/pc
	WT450mm,STRUT 380mm	237g/pc
	WT500mm,STRUT 430mm	258g/pc
	WT550mm,STRUT 480mm	277g/pc
	WT600mm,STRUT 530mm	298g/pc
Bolt Coil Tie	300mm	270g/pc
Plastic Cone	35mm	13g/pc

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Korea Formwork Fittings




Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Rib Lath (Hy-Ribbed Mesh)




HY-RIBBED FORMWORK METAL SHEET

	Size	2000x445x0.35mm	Tolerance	
	Weight	2.48kg	Tolerance	±0.3kg
	Color	White Zinc Color		
	Finishing	Method: Hotdip Galvanized		
		Requirement: Coating weight:60g/m2 min.		
		Coating thickness:30um min.		
	Remarks	1.Thickness Tolerance: +0.05mm		
Material		2.Length Tolerance: ±10mm		
		3.Width Tolerance: ±5mm		
	Description	Q195		
	Chemical		C	≤0.12
			Si	≤0.3
		Q195	Mn	≤0.5
			P	≤0.035
			S	≤0.04
	Mechanical	Tensile Strength	315~430Mpa	
		Lower Yield Stress	≥195Mpa	
		Elongation	≥33%	
	Packing	packed in bundles of 100, 4 bundles on a pallet		

Wor with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500



FORMWORK HIGH RIBBED METAL RIB LATH			
7 RIB 8 OPENNING			
Thickness(mm)	Rib Distance(mm)	Weight (KG)	Width X length(mm)
0.30	100	1.79	610 X 2440
0.35	100	2.09	610 X 2440
0.40	100	2.38	610 X 2440
0.45	100	2.68	610 X 2440
0.5	100	2.98	610 X 2440
5 RIB 8 OPENNING			
Thickness(mm)	Rib Distance(mm)	Weight (KG)	Width X length(mm)
0.30	150	1.31	610 X 2440
0.35	150	1.53	610 X 2440
0.40	150	1.75	610 X 2440
0.45	150	1.96	610 X 2440
0.5	150	2.17	610 X 2440


Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500



BENDING PLATE FORMWORK METAL MESH

	Application	Concrete Formwork
	Material	Steel Sheet
	Surface Treatment	Hot Dip Galvanized
	Color	Silver
	Length	2500mm
	Width	880mm
	Thickness	0.7mm
	Packing	100pcs/pallet

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Props and Accessories

Props in all size and types are available. Welcome for contact us for more details.



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Light Duty Steel Shoring Prop	
Adjustable Length	1.6-3.0m
	1.8-3.5m
	2.0-3.5m
	3.5-4.0m
	3.0-5.0m
Internal Tube	40*2-48*2mm
External Tube	48*2-56*2mm
Flower Plate	120*120*4mm
G Type	Lock Pin
Surface	Dip paint, Pre Galvanized, Hot dip galvanized

Heavy Duty Steel Shoring Prop	
Adjustable Length	1.8-3.2m
	2.1-3.4m
	2.2-4.0m
	3.5-4.0m
	3.0-5.0m
Internal Tube	48*2-48*3.5mm
External Tube	60*2-60*3.5mm
Square Plate	120*120*4.5mm
G Type	Lock Pin
Surface	Dip paint, Pre Galvanized, Hot dip galvanized

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Prop Sleeve		
	Material	Q235
	Diameter	D60mm and D76mm
	Length	195mm-350mm
	Thickness	2.5mm-4.0mm
	Hole Size	14*150mm and 15*160mm



Prop Nut		
	Material	Ductile Iron Casting
	Diameter	D60mm and D76mm
	Weight	270g,450g,560g,780g
	Feature	With handle or not
	Surface Treatment	Galvanized or black

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Scaffolding and Accessories

Scaffolding Frame



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com


Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Snap On Lock Frame (1.625" OD)


Walk Through Frame w/18" Ladder

Item Code	Width	Height
WSF008	3' (914.4)	4' (1219.2)
WSF009	3' (914.4)	5' (1524)
WSF010	3' (914.4)	6' 8" (2032)
WSF011	5' (1524)	6' 8" (2032)



Apartment Frame w/18" Ladder

Item Code	Width	Height
WSF012	3' (914.4)	8' 8" (2641.6)
WSF013	3' (914.4)	10' 8" (3251.2)
WSF014	3' (914.4)	11' 8" (3556)



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com


Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

- Snap On Lock Frame (1.625" OD)




Box Frame

Item Code	Width	Height
WSF015	3' (914.4)	4' (1219.2)
WSF016	3' (914.4)	20" (508)
WSF017	3' (914.4)	40" (1016)
WSF018	5' (1524)	20" (508)
WSF019	5' (1524)	40" (1016)



Mason Frame

Item Code	Width	Height
WSF020	5' (1524)	4' (1219.2)
WSF021	5' (1524)	5' (1524)
WSF022	5' (1524)	6' 8" (2032)



Ladder Frame

Item Code	Width	Height
WSF023	2' (609.6)	5' (1524)
WSF024	2' (609.6)	6' 8" (2032)
WSF025	3' (914.4)	6' 8" (2032)
WSF026	3' (914.4)	5' (1524)


Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Shoring Frame

Item Code	Width	Height
WFS001	2' (609.6)	3' (914.4)
WFS002	2' (609.6)	4' (1219.2)
WFS003	2' (609.6)	5' (1524)
WFS004	2' (609.6)	6' (1828.8)
WFS005	4' (1219.2)	3' (914.4)
WFS006	4' (1219.2)	4' (1219.2)
WFS007	4' (1219.2)	5' (1524)
WFS008	4' (1219.2)	6' (1828.8)




Accessories



Shoring Coupling




Shoring Base Plate



Shoring U Head



1.90" Screw Jack w/Base Plate



7'x3'x4' Angular Cross Brace




1.90" Tubing Screw Jack

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn


Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500




Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500



Ring Lock Scaffolding



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Scaffolding Couplers



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Fasteners






Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Plastic Formwork Board

Hollow Plastic Formwork Board			
	Size	1220*2440*12mm; 1220*2440*15mm; 1220*2440*18mm;	1220*2440*14mm; 1220*2440*16mm; 1220*2440*20mm
	Using Times	60-100 times	
	Waterproof	yes	
	Workability	Working well with Nails, Saw, Drill and etc.	
	Temperature Resistance	At least 150℃	
	Energy Saving	Recycled	
	Packing	Pallet	



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Plastic Formwork Spacers



Wheel Spacers are offered at various types and sizes.
Welcome to contact us for details.



Code	Protection Layer	Fit Steel	Packing (Pc/Bag)
SD0151	15mm $\varnothing$ 10	8-12mm	4000
SD0152	15mm $\varnothing$ 12	8-12mm	4000
SD0153	15mm $\varnothing$ 12	8-12mm	5000
SD0201	20mm $\varnothing$ 14	8-14mm	2000
SD0251	25mm $\varnothing$ 22	8-20mm	1000
SD0301	30mm $\varnothing$ 25	8-20mm	1000
SD0302	30mm	12-25mm	1000
SD0351	35mm $\varnothing$ 28	12-28mm	600
SD0401	40mm	8-25mm	500
SD0601	60mm	8-20mm	250

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500



Code	Protection Layer	Fit Steel	Packing (pc/bag)
SP0151	15mm	8-14mm	5000
SP0152	15mm $\varnothing$ 12	6-12mm	5000
SP0153	15mm $\varnothing$ 14	8-14mm	5000
SP0154	15mm $\varnothing$ 14 (梁垫)	8-14mm	5000
SP0201	10mm/20mm	8-20mm	5000
SP0251	20mm/25mm	8-22mm	3000
SP0252	25mm $\varnothing$ 15	8-15mm	2500
SP0253	25mm $\varnothing$ 25 (梁垫)	8-25mm	2500
SP0254	25mm	8-25mm	2000
SP0301	30mm/25mm	8-25mm	2000
SP0302	30mm	8-25mm	2000
SP0351	35mm	8-30mm	1500
SP0401	35mm/40mm	8-30mm	1500
SP0451	40mm/45mm	8-30mm	1000
SP0701	70mm/80mm (马凳)	8-16mm	600
SP0901	90mm/100mm (马凳)	8-18mm	500

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricon.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Plastic Rebar Cap



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Other Fittings



Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Rubber Water stop



Physical Properties	PZ-150	PZ-250	PZ-400
HARNESS(Shore A)	42±7	42±7	45±7
Tensile Strength	3.5Mpa(min)	3.5Mpa(min)	3.0Mpa(min)
Elongation	450%	450%	350%
Expansion Rate	150%	250%	400%
Repeated Water Immersion Test			
Tensile Strength	3.0Mpa(min)	3.0Mpa(min)	0.0Mpa(min)
Elongation	350%	350%	250%
Expansion Rate	150%	250%	300%
Low Temperature Bending(-20°C*2h)	No crack	No crack	No crack

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500



Product Advantages

Water-swelling rubber has more excellent characteristics and advantages than ordinary rubber. This kind of rubber will expanded and deform by 2-3 times when it meets with water, and fill all irregular surfaces, cavities and gaps, while generating huge contact pressure to completely prevent leakage. When the joint or building joint is displaced, causing the gap to exceed the elastic range of the material, ordinary rubber water-stop material will lose their effect. The material can also stop water by swelling with water. Use swelling rubber as seal and water stop seal.

This material not only saves consumption, but also eliminates the elastic fatigue characteristics caused by excessive compression of ordinary elastic materials, making the waterproof effect more reliable.

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500



CONSTRUCTION RUBBER WATER STOP	
SIZE	3MM/4MM/5MM/6MM * LENGTH
VOLUME EXPANSION RATE %	PN 220-300
TEST STANDARD	GB/T18173-2014
WORKING TEMPRATURE	-20 TO 60℃
TOTAL SWELLING TIME	7-10 DAYS
APPLICATION	- Ø Concrete Foundations joints - Ø Concrete Floors and walls joints - Ø Pre-Cast Concrete Slabs - Ø Waste water and Sewage treatment plants - Ø Underground structures - Ø Tunnel Water lining - Ø Hoses and piping connections - Ø Water tanks and reservoirs

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Wheel Spacers Catalogue

CONCRETE WHEEL SPACER				
ITEM NO.	PROTECT THICKNESS	BAR SIZE	PACKING/BAG	PHOTO
SD0151B	15mm	6-10mm	5000	
SD0152B	15mm	6-10mm	5000	
* SD0153B	15mm	6-12mm	5000	
SD0154B	15mm	16-25mm	3000	
SD0201B	20mm	8-14mm	4000	
SD0202B	20mm	16-25mm	2000	
* SD0203B	20mm	6-12mm	4000	
SD0251B	25mm	8-14mm	1000	
SD0252B	25mm	12-25mm	1000	

* SD0253B	25mm	10-16mm	2500	
SD0301B	30mm	8-14mm	1000	
* SD0302B	30mm	12-25mm	1000	
SD0351B	35mm	14-28mm	600	
* SD0352B	35mm	8-16mm	800	
SD0401B	40mm	8-25mm	500	
SD0501B	50mm	8-16mm	400	
☆ SD0601B	60mm	8-16mm	350	
☆ SD0651B	65mm	8-16mm	250	
☆ SD0701B	70mm	12-20mm	350	
☆ SD0751B	75mm	8-16mm	350	

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Chair Spacer Catalogue

HEAVY DUTY PLASTIC CHAIR SPACER					
ITEM NO.	PROTECTION	BAR SIZE	QTY/40GP(BAGS)	QTY/BAG	PHOTO
SP0204B	20mm/25mm	8-25mm	830	1500	
SP0304B	25mm/30mm	8-30mm	830	1500	
☆ SOG2540B	25mm/40mm	8-22mm	440	600	
SP0404B	30mm/40mm	8-30mm	830	1000	
SP0454B	35mm/45mm	8-30mm	830	1000	
SP0504B	40mm/50mm	8-30mm	830	800	
☆ SOG5065B	50mm/65mm	8-18mm	440	600	
☆ SP0653B	50mm/65mm	8-18mm	440	600	
☆ SP0754B	65mm/75mm	8-30mm	440	500	
☆SOG7590B	75mm/90mm	8-18mm	440	500	

☆ SP1002B	90/100mm	8-18mm	440	350	
☆ * SP1003B	85/100mm	8-18mm	440	400	
☆ SP1053B	105/110mm	8-18mm	440	350	
☆ * SP1153B	115/120mm	8-18mm	440	350	
☆ SP1202B	110/120mm	8-18mm	440	350	
☆ * SP1203B	120/130mm	8-18mm	440	350	
☆ SP1253B	125/130mm	8-18mm	440	350	
☆ SP1303B	130/140mm	8-18mm	440	350	
☆ SP1402B	130/140mm	8-18mm	440	300	
☆ * SP1403B	135/140mm	8-18mm	440	300	

☆ SP1503B	145/150mm	8-18mm	440	300	
☆ SP1602B	150/160mm	8-18mm	440	300	
☆ SP1802B	170/180mm	8-18mm	440	300	
☆ SP2002B	190/200mm	8-18mm	☆ SP2002B	190/200mm	

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@tricocn.com

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500

Ladder Spacer Catalogue

PLASTIC LADDER SPACER FOR CONCRETE					
ITEM NO.	PROTECTION THICKNESS	PACKING (BUNDLE/M)	BUNDLE /20GP	BUNDLE /40GP	PHOTO
CD25	25mm	100meters	250	500	
CD30	30mm	100meters	200	400	
CE25	25mm	100meters	250	500	
CE40	40mm	50meters	300	600	

Work with us, to make your effort more valuable. Visit us at www.form-scaffs.com

Email: sales@trico.cn

Tel: + 0086 311 8502 9502 Fax: + 0086 311 8502 9500